

FEVER MANAGEMENT

ALL PROVIDERS

- ☐ Focused history and physical exam
- ☐ Assess temperature.
- ☐ Cardiac monitor, ETCO2, and pulse oximetry monitoring, when available.
- ☐ **Treatment Plan**
 - If temperature is >100.4°F (>38.0°C) and the patient does not have any contraindications, consider antipyretic medications.
 - Contraindications include abdominal pain, allergy to medications, vomiting, active bleeding or concern from parents.
 - Avoid acetaminophen in patients with liver problems.
 - Ibuprofen is contraindicated in children <6 months old.
 - Ibuprofen is contraindicated in the immune-compromised patient (on chemotherapy, with autoimmune disorders, etc.)
 - For temperatures greater than 103°F or 39.5°C
 - Begin passive cooling techniques including removing excess clothing.
 - For temperatures greater than 106°F or 41°C
 - Refer to the **Temperature and Environmental Emergencies Guideline**.

ADULT

PEDIATRIC (<15 years of Age)
NOTE: Pediatric weight based dosing should not exceed Adult dosing.

EMT



AEMT

- ☐ **Advanced Airway, IV/IO Access, and Fluid Therapy Guidelines** as needed

PARAMEDIC

EMT



AEMT

- ☐ **Advanced Airway, IV/IO Access, and Fluid Therapy Guidelines** as needed

PARAMEDIC